

GymBeam s.r.o.

Rastislavova 93

040 01 Kosice - mestská časť Juh

Slovakia



Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

Certificate of analysis 24060777 - 003

Sample name : Glucosamine sulphate - GymBeam 120 tab

Marking of sample : 120G03K12S24 03.12.2026+

Customer No. : Glucosamine sulphate - GymBeam 120 tab

Packaging : Commercial package/plastic bottle

Sample amount : 1 x 183,6 g

Shipping of sample : Courier Service

Sample entry : 16.12.2024

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 16.12.2024 / 20.12.2024

Comment : Note: Product did not dissolve completely in water.

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 2

Certificate of analysis : 24060777 - 003

Sample name : Glucosamine sulphate - GymBeam 120 tab

Test Results

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Declaration</i>
Glucosamine sulfate 2 KCl	1356	mg/tablet	1500
Weight per dosage form	1,51	g	

Hamburg, 20.12.2024

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

This test report is done automatically and is valid without signature.

Methods

<i>Parameter</i>	<i>Method</i>
Glucosamine sulfate 2 KCl	FV-0533 02-014, HPLC-RI: 2023-01 ₁
Weight per dosage form	HH-MA-M 10-030, gravimetric: 2021-11 ₀

With ^a marked methods are accredited.

Testing laboratory: ₁extern ₀GBA Hamburg