

GymBeam s.r.o.

Ms. Sláviková

Rastislavova 93

040 01 Kosice - mestská časť Juh

Slovakia



Contact person:

Rebecca Rugo

Phone +49 40 797172-435

r.rugo@gba-group.de

Certificate of analysis 25032853 - 016

Sample name : Ashwagandha 500 mg - GymBeam 180 caps

Marking of sample : LC/242913 052027

Customer No. : Ashwagandha 500 mg - GymBeam 180 caps

Packaging : Commercial package/plastic vessel

Sample amount : 1 x 113,8 g

Shipping of sample : Courier Service

Sample entry : 08.07.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 08.07.2025 / 16.07.2025

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. Our general terms and conditions can be viewed on our website (gba-group.com/aab).

1 von 3



Certificate of analysis : 25032853 - 016

Sample name : Ashwagandha 500 mg - GymBeam 180 caps

Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
E. coli	<10	cfu/g
Salmonella	negative	/ 25 g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Max. level</i>
Lead	<0,020	mg/kg	3
Cadmium	<0,010	mg/kg	1
Mercury	<0,010	mg/kg	0,1

Maximum levels for food supplements according to VO (EU) 2023/915

Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 16.07.2025

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

This test report is done automatically and is valid without signature.

Methods

<i>Parameter</i>	<i>Method</i>
E. coli	Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 ^a ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 ₀
Salmonella	DIN EN ISO 6579-1: 2020-08 ^a ₀
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅

The methods marked with ^a are accredited methods of the performing laboratory.

Testing laboratory: ₀GBA Hamburg ₅GBA Pinneberg

Certificate of analysis : 25032853 - 016

Sample name : Ashwagandha 500 mg - GymBeam 180 caps