

GymBeam s.r.o.
Ms Haukszová
Rastislavova 93
040 01 Košice - mestská časť Juh
Slovakia



Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

Certificate of analysis 24014499 - 009

Sample name : Quercetin - GymBeam 90 caps

Marking of sample : Batch-No.: 220923
EXP. date: 22.09.2025

Customer No. : none

Packaging : Commercial package

Sample amount : 5 x 55,8 g

Shipping of sample : Courier Service

Sample entry : 25.03.2024

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 25.03.2024 / 04.04.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 2

Certificate of analysis : 24014499 - 009

Sample name : Quercetin - GymBeam 90 caps

Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
E. coli	<10	cfu/g
Salmonella	negative	/ 25 g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Max. level</i>
Lead	<0,020	mg/kg	3
Cadmium	<0,010	mg/kg	1
Mercury	0,045	mg/kg	0,1


Maximum levels for food supplements according to VO (EU) 2023/915

Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 04.04.2024



i. A. R. Rugo

(Certified Food Chemist / Customer Service)

Methods

<i>Parameter</i>	<i>Method</i>
E. coli	DIN ISO 16649-2, mod. REBECCA Agar: 2020-12 ^a ₀
Salmonella	§ 64 LFGB L 00.00-20: 2021-07 ^a ₀
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅

With ^a marked methods are accredited.

Testing laboratory: ₀GBA Hamburg ₅GBA Pinneberg